

BLACKMIRROR 2

泰摩黑镜2智能咖啡手冲平台
使用说明书

产品部件介绍

本产品需要请用户自行安装各个部件后,才能正常使用。

部件说明如下:

A 机身本体(含连接件/螺丝) ×1

B 滤杯杆 ×1

C 滤杯环 ×1


D 硅胶隔热垫 ×1

E TYPE-C充电线 ×1

1 上下调节旋钮(大旋钮为调节钮)

2 开关按钮

3 TYPE-C充电插口




使用前


- 1.请先去除机身底座保护片(红色部分)
- 2.滤杯支架包括滤杯杆与滤杯环,需自行安装(具体步骤请详见“滤杯架的安装与使用”)

滤杯架的安装与使用



1. 滤杯架可轻松安装/拆卸。
操作时请先取下硅胶隔热垫。
机身背后的连接件为与机身固定部件，不可向外拔出。





滤杯杆在安装时在此插入固定，并旋紧连接件下方螺丝，即可实现滤杯杆固定（见下图）




2. 松开侧面大旋钮可自由移动滤杯环，以适应不同的滤杯与分享壶的高度组合，移动完高度需要旋紧旋钮。



3. 滤杯环在锁紧状态下，仍旧可以从中间位置向左右自由转动，请勿超过角度限制。




按键及显示区域介绍



- 1** 开关/清零键:按此处开机
短按重量清零
长按2秒关机
- 2** 计时键: 短按开始 / 暂停计时
长按1秒 计时清零
长按5秒 声音开 / 关
快速短按8次 冲煮自动计时模式开 / 关
- 3** 计时区:记录时间,最大范围59分59秒
- 4** 萃取流速:此数字表示当前注水的速度
- 5** 咖啡液重:此数字表示萃取出的咖啡液重量
- 6** 注水总重:此数字表示萃取时的总注水重量
- 7** 电池指示灯:表示当前电量,电量不足时请及时充电
- 8** 网络连接:表示设备已连接至智能应用程序
- 9** 声音指示灯:表示当前打开声音提示
- 10** 冲煮自动计时模式指示灯:表示当前打开冲煮自动计时模式


PS: 初始面板贴纸标注了上述按键功能与显示内容。在熟悉基本功能操作后即可除去贴纸。

双数值重量显示



关于冲煮自动计时模式

以下辅助冲煮模式必须基于常规模式下方可激活,当电子秤连接上APP或者小程序,此功能失效。



快速按计时键8次,直至听到蜂鸣声后,冲煮自动计时模式开启,相应指示灯亮起。



准备好冲煮设备和咖啡粉并放置至秤面上,短按1次计时键,进入3秒倒计时。



倒计时提示结束后,计时区进入待冲煮阶段,称量数值将自动归零,可以开始冲煮。重量发生变化,自动计时开始。



冲煮结束并取走冲煮设备后,计时和称重将自动停止,记录下的数值闪烁显示。此时若再次放置冲煮设备至秤面,短按计时键可以继续计时和称重,再次短按计时键结束任务。长按计时键,重新进入自动冲煮的待机状态。

产品参数

01. 产品名称: 泰摩黑镜2智能手冲咖啡称重平台
02. 测量量程: 0.5g-2000g
03. 储运温度: 摄氏-10度至摄氏55度
04. 使用温度: 产品表面 摄氏-10度 至 摄氏 60度
产品正面放上附带的隔热垫后, 摄氏-20度 至 摄氏 100度
05. 按键控制: 电容式触控按键, 无需用力按压
06. 辅助提示: 内置蜂鸣器
07. 通讯方式: 2.4GHZ Bluetooth 无线连接, 蓝牙协议支持版本4.2
08. 供电电源: 内置2300mAh大容量可充电锂电池
电池电压标称值3.7V, 电压范围: 3.4V - 4.25V
09. 充电方式: 5Vdc/1A充电电源, 使用USB TYPE-C接口充电线,
内置智能充电管理系统, 充电适配器需自备。
适配器类型: 220VAC/110VAC转5V DC
10. 智能设备要求: 安卓或 iOS智能手机, 安装最新版本微信APP

使用中的注意事项

1. 不支持快充功能供电, 建议使用5V、1A-2A适配器进行充电。
2. 请放置于水平且平稳的台面上使用。
3. 推荐使用硅胶隔热垫, 可更好保护产品表面及内部部件。
4. 本产品使用锂电池供电, 请勿电量耗尽后充电, 锂电池建议随用随充;
若电量消耗完, 约有十分钟的充电保护时间, 期间无法正常使用。
5. 充电过程中请勿使用, 可能导致精准度下降。
6. 计时功能未开启时, 待机3分钟后自动关机;
计时功能开启时, 待机(计量无任何变化情况下) 15分钟后自动关机。
7. 称面板表面防水, 谨防液体进入机身缝隙及充电口内。
8. 设备内部结构精密, 禁止私自拆卸。
9. 本设备1年保修, 私自拆卸或人为损坏不在保修在范围。
10. 本设备为手冲咖啡辅助器具, 不可用于贸易结算及其它计量场合。

违反以上注意事项导致设备损坏、失准及其他不良后果, 我司不负相关责任。

智能应用程序

1. 扫描下方二维码前往泰摩官网
www.timemore.com 下载中心
选择下载苹果系统或者安卓系统
【TIMEMORE】应用软件。



安装后请先完成注册或登录账号，
实现【冲煮】、【数据】、【设备】等丰富
智能功能体验。



2. 打开微信APP，扫描右侧二维码，进入
【TIMEMORE】小程序。



- 请打开手机蓝牙功能，在应用或小程序内，根据逐步提示，对设备进行蓝牙连接。
- 请确认设备未与其他手机配对才可以被搜索到。
- 程序功能、内容、形式将逐步更新完善，请关注应用产品动态。

售后保修卡 WARRANTY CARD

感谢您购买 TIME MORE 品牌产品,凭此售后卡,
产品无人为损伤,可享受七天无理由退换货,一年免费保修服务。

Thanks for purchasing TIMEMORE products.
With this card, you are provided with one year warranty and
also could replace or refund for any reason within 7 days
since you receive it if it's not deliberately damaged.

产品名称或型号 Product Name / Item No. _____

购买时间 Order Date _____

购买渠道 Purchase Method _____

订单编号 Order NO. _____

购买地区 Order Area _____

客户姓名(必填)Customer name _____

客户联系方式(必填)Customer Tel. _____

退货原因(必填)Reason _____

退换登记 Replace&Refund

☐ 维修 Repair

☐ 换货 Replace

☐ 退货 Refund

售后服务网点 上海 Address-Shanghai

上海市浦东新区东明路2200号301
Room 301 No.2200 Dongming Road,
Pudong District, Shanghai, China

上海市奉贤区奉城镇路口村827号
Lukoucun 827# Fengcheng Town,
Fengxian District, Shanghai, China

售后服务联系 Contact

在线服务: 天猫/京东 泰摩旗舰店在线客服

联系电话 Tel: 400-684-0200


官网信息 Web: www.timemore.com

微信公众号 Wechat official account: timemore_coffee

(右侧扫码 scan right code)



请妥善保管此凭证 Please keep this card



BLACKMIRROR 2

TIMEMORE BLACK MIRROR 2 COFFEE WEIGHING PANEL



User's Manual

Package contents & functions

The product needs to be installed before using.

The components include in this package:

- A** Base×1
(including the connecting piece/screw)
- B** Bracket ×1
- C** Dropper Holder ×1
- D** Silicone Pad ×1
- E** TYPE-C Cable ×1
- 1** Up/Down Adjustable Knob
(Use the large knob for adjustments)
- 2** Power Button
- 3** TYPE-C Charging Port




Please remove the protection pads as the picture in RED.

The dropper bracket includes a dropper rod and a dropper holder for self-installing and dismantling. Detailed instructions are in the following section.


The Installation and Usage of Dripper Bracket

1. The dripper holder can be easily installed and removed. Please remove the silicone pad before installation.

• The connecting piece/screw on the back of the base is fixed and should not be pulled out.




2. Loosen the large side knob to move the dripper holder freely to adapt to different height combinations of the dripper and the coffee server. After the height is adjusted to the proper height, the knob needs to be securely tightened.






3. When the dripper holder is locked, it can still rotate freely from the middle position to the left and right. Do not exceed the angle range.


Fastening the large knob



Insert the rod into the hole as shown, fix and tighten the screw below the connecting piece to fix the bracket (see the figure below).




Introduction to Buttons and Display Area



- 1** Power/Tare Button: Press to power on
Short press to tare
Long press 2 seconds to power off
- 2** Timer Button: Short press to start/pause timer
Press for 1 second to reset timer
Press for 5 seconds to turn on/off the beep
Quick press 8 times to turn on/off auto timer mode
- 3** Time: Max recording time is 59m:59s
- 4** Flow Rate: The current speed of water injection
- 5** Weight of Coffee: The weight of coffee after extraction
- 6** Weight of Total Water: Total water injection weight during extraction
- 7** Battery Indicator: Shows remaining power level
- 8** Connection Indicator: Shows if it is connected with Application
- 9** Sound Indicator
- 10** Auto Timer Indicator

PS: The sticker on the panel when shipped marks each function and description of each key. It can be removed after you are familiar with the operations.

The Display of Dual Coffee Weights



Auto Timer Mode

The mode is based on ONLY regular mode which is when the device is NOT connected with App or Mini Program.



To turn on/off Auto Timer mode, press the timer button 8 times until you hear the beep. The letter A will appear on the display when the Auto Timer Mode is on.



The weight will go to zero. As you add water the scale will sense the weight and the timer will start timing your brew.



Prepare brewing equipment and place on the scale. Add the coffee. Short press the timer button once. The display will count down 3, 2, 1.



If the brewing equipment is removed from the scale the timer will stop and the display will show the time of the brew and the weight. If you place the brewing equipment back on the scale to add more water, short press the timer button to continue the timer and weighing functions. Short press the timer button again and the timer will stop. Long press the timer button to clear the display to start a new pour over.

Specification

01. Product Name: TIMEMORE BLACK MIRROR 2 Coffee Weighing Panel
02. Measure range: 0.5g-2000g
03. Storage temperature: -10 °C to 55 °C
04. Use temperature: Surface -10 °C to 60 °C With silicone pad : -20 °C to 100 °C
05. Key mode: Capacitive touch (no need to press hard)
06. Assistive Indicator: built-in buzzer
07. Connection: 2.4GHZ Bluetooth wireless connection compatible for Bluetooth 4.2
08. Battery: Built-in 2300mAh Lithium Ion rechargeable battery standard
Voltage: 3.7V Voltage range: 3.4V - 4.25V
09. Charge: 5V DC/1A with TYPE-C cable
Built-in Smart system to control battery charge. Adaptor is not included.
Type of adaptor: 220VAC / 110VAC Out put: 5V/1A
10. Smart device requirements: Android or iOS smartphone,
install the latest version of Wechat app

Note

1. The battery does not support a fast charging function.
It's recommended to use 5V, 1a-2a adapter for charging.
2. Place the device on a horizontal and smooth surface.
3. It's recommended to use the Silicone pad to protect the surface and internal parts of the product.
4. The device is powered by a lithium battery. DO NOT charge after the power is completely used up. It is recommended to charge the battery after every usage.
If the battery is used up, there will be a protection time of 10 min during which you'll not be able to use the device.
5. Do not use the device during charging.
6. When timer is off, it will be on standby for 3 min then shut down automatically.
When timer is on, but there is no change in weight, it will shut down after 15 min.
7. The surface of scale is waterproof. DO NOT allow liquid to enter the gap between shells and charging port. DO NOT soak it in any liquid.
8. DO NOT attempt to dismantle or repair.
9. The limited warranty only covers any defect in material or workmanship under normal use during warranty period.
10. The device is an accessory for coffee brewing only. DO NOT use it for trade settlement or other occasions.

For full warranty coverage the device must be used properly following the instructions provided by the manufacturer.

Smartphone App

1. Scan the below QR code and get into www.timemore.com - Download Center to download [TIMEMORE] application.



After installation, please complete the registration or login account to learn more under [Brewing], [Data], [Device] interfaces.



2. Scan the QR code and get into Mini Program [TIMEMORE] via Wechat.



- Please turn on the Bluetooth on the mobile phone to connect the device with Bluetooth according to the prompts in the Application or Mini Program.
- Please make sure the device is not paired with other mobile phones.
- The function, content and format of the App will be updated and improved periodically. Please pay attention to the latest product news.

BLACK MIRROR 2



品名：泰摩黑镜2智能咖啡手冲平台

品号：TES008

内容物：测量平台、滤杯杆、滤杯环、硅胶隔热垫、充电线、说明书(含保修卡)、合格证

委托商：上海泰摩咖啡器具有限公司 质保期限：1年

网址：www.timemore.com 电话：400-684-0200

生产商：可瑞尔科技(扬州)有限公司

地 址：江苏省扬州市开发区兴扬路28号

Product name: TIMEMORE BLACK MIRROR 2 Coffee Weighing Panel

Item's number: TES008

Contents: Weighing Panel, Bracket, Dripper Holder, Silicone Pad, Charge Cable,
User's manual (Warranty Card), Certification

Company : Shanghai TIMEMORE Coffee Equipment CO., LTD.

Warranty: 1 year limited warranty

Website: www.timemore.com Tel: 400-684-0200

Manufacturer : Krell Precision (Yangzhou) CO., LTD.

ADD : No. 28 Xingyang Road, Development Zone, Yangzhou City, Jiangsu
Province, China